



BIOETHANOL FIREPLACES

PRODUCT CATALOG

www.kratki.com

Discover the advantages of bioethanol fireplaces

1

Real fire – without a chimney

Bioethanol fireplaces burn ecological, bioethanol-based fuel and do not require a chimney connection. The flame is created without smoke, soot or ash.

2

A fireplace for any space

A bioethanol fireplace can be installed in almost any interior – in a flat, apartment, office, restaurant or hotel. Wall-mounted, recessed, furniture-integrated or freestanding versions – the choice depends solely on the design.

3

Design that creates atmosphere

A real flame immediately draws attention and gives the interior a warm, elegant character. A bioethanol fireplace is not only a heat source, but also a decorative element that enhances any interior style.

4

Clean and ecological combustion

When bioethanol is burned, only water vapour and a small amount of carbon dioxide are produced, comparable to the amount exhaled by a human.

5

Easy installation and simple operation

Bioethanol fireplaces do not require complicated installation work or permits. Start-up is quick and intuitive, and daily use is limited to refilling the fuel and lighting the fire.

6

Mobility and flexibility

Many bioethanol fireplace models can be easily moved or relocated, providing full flexibility when changing the interior arrangement or the function of the room.

7

Fire whenever you want

A bioethanol fireplace is not dependent on the heating season. You can enjoy the flame at any time of the year, exactly when you feel like it – for relaxation, mood or a special atmosphere.

8

Ambience and warmth in outdoor areas

Bioethanol fireplaces also work perfectly in outdoor spaces – on terraces, in gardens, on patios or balconies. They create an elegant relaxation zone and a unique atmosphere during evening gatherings.

Our bioethanol fireplaces have

A TÜV SAFETY CERTIFICATE





A new definition of the home hearth

This is a solution for people who value design, comfort and a modern lifestyle, while also wanting to introduce a natural element of fire into the interior – without technical limitations and without aesthetic compromises.

Catalog markings



Nominal output (kW)



Fuel consumption (l/h)



Maximum burning time (min.)



Bioethanol fireplace available with glass



Manufacturing material



Capacity of the container/bio-insert



Weight of the bioethanol fireplace



Length of the fire line (mm)



Additional option with grate




Version available for self-assembly

PLANET/TUV



PORTAL
BIOETHANOL FIREPLACES



Finishing version:

kW


kg

l

h

4670,75 l723500,63

painted steel,
MDF



Finishing version:

kW


kg

l

h

4860,75 l723500,63

painted steel,
MDF



Finishing version:

kW

kg

l


h

4820,75 l723500,63

painted steel,
MDF

DECEMBER/P/TUV

950x870x280



Finishing version:



4



86



0,75 l



72



350



0,63



SM




painting steel,
MDF



FEBRUARY/TUV

1120x962x325



Finishing version:



4



52



0,75 l



72



350



0,63




painting steel,
MDF



LEGIONIS/TUV

1150x1134x330



Finishing version:



4



85



0,75 l



72



350



0,63




painting steel,
MDF



NOVEMBER/TUV

1150x1013x295




Finishing version:

4 52 0,75 l 72 350 0,63

SM painted steel, MDF

NOVEMBER/P/TUV

950x870x280




Finishing version:

4 45 0,75 l 72 350 0,63

SM painted steel, MDF

OCTOBER/TUV

1150x959x330



Finishing version:

4 52 0,75 l 72 350 0,63


SM painted steel, MDF

SIERRA/MINI



PLANET/TUV

1150x980x330




Finishing version:



SIERRA/TUV

408x1700x405




Finishing version:




SIERRA/MINI

384x1315x330




Finishing version:



QUAERERE/TUV

1150x950x300




Finishing version:



WHISKEY/TUV

750x730x190




Finishing version:



WHISKEY/2/TUV

1030x880x250



Finishing version:







BALL/TUV




WALL-MOUNTED
BIOETHANOL FIREPLACES

BALL/TUV

849x850x182




Finishing version:




BRAVO/CZARNY/TUV

826x610x174





Finishing version:



DELTA/FLAT/TUV

900x400x120




Finishing version:




DELTA/L/900/TUV






Finishing version:



Finishing version:




Finishing version:



DELTA/600/TUV

600x480x280




Finishing version:




DELTA/700/TUV

700x480x280




Finishing version:




DELTA/900/TUV

900x480x280




Finishing version:



DELTA/1200/TUV

1200x480x280




Finishing version:



GOLF/FLAT/TUV

648x374x120




Finishing version:




GOLF/CZARNY/TUV

648x374x144




Finishing version:







Finishing version:



Finishing version:



Finishing version:





PLANK



JULIET/1500/TUV

1500x650x142



Finishing version:



6,6 31,5 2 x 0,5 l 60 500 1,04




painting steel,
ground steel



JULIET/1800/TUV

1800x650x142



Finishing version:




9,9 38 3 x 0,5 l 60 750 1,56



painting steel,
ground steel







Finishing version:

kW

3,3

kg

18,5

0,5

60


250

0,52

 painted steel







Finishing version:

kW

3,3

kg

18,9

0,5

60


250

0,52

 painted steel







Finishing version:

kW

3,3

kg

18,4

0,5


60

250

0,52

 painted steel





Finishing version:

kW

1

kg

16

0,3

106

130

0,17

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450

166

452

15

52

133

350

450


166

<

TOWER



FREESTANDING
BIOETHANOL FIREPLACES



Finishing version:

kW

3,3

kg

10,4


0,5 l

60

250

0,52

painted steel



Finishing version:

kW

1,5

kg

3,8


0,2 l

50

150

0,24

painted steel



Finishing version:

kW

1,5

kg

7,8

0,2 l

50


150

0,24

painted steel

FOXTROT

360x702x290




Finishing version:

1,5	14,7	0,2 l	50	150	0,24

	painting steel	
--	----------------	--

GALINA/TUV

354x218x180



Finishing version:

1	3,8	0,3 l	85	130	0,17



	painting steel, glass	
--	-----------------------	--



FOXTROT

HOTEL/TUV

700x400x334



Finishing version:





Icons representing materials: painted steel, glass



HOTEL/MINI/TUV

390x252x234



Finishing version:




Icons representing materials: painted steel, glass




INDIA/MAX/TUV

670x100x274




Finishing version:



Icons representing materials: painted steel





Finishing version:

kW

3,3

kg

4


0,5 l

60

250

0,52

painted steel



Finishing version:

kW

1,5

kg

2



0,2 l

50

150

0,24

painted steel



Finishing version:

kW

1,5

kg

4

0,2 l

50

150

0,24

painted steel,
glass



ROMEO/S



ROMEO/TUV

359x1135x209



Finishing version:






3,3	19	0,5 l	60	250	0,52

painted steel, glass

ROMEO/S

330x1137x330



Finishing version:




2,6	22	1,25 l	180	250	0,41

painted steel, glass


TANGO 1

200x328x200




TANGO 2

250x353x250





TANGO 3


300x303x300











kW

0,83

kg

10,4

0,2 l

90

ø 80

0,13





painted steel,
glass

Finishing version:







TOWER

300x963x300









kW

2

kg

11,66

0,65 l

120

ø 95

0,32





painted steel,
glass


Finishing version:





TOWER/MINI

305x514x300









kW

2

kg

8,9

0,65 l

120

ø 95

0,32






painted steel,
glass

Finishing version:



TETRA/STAND

435x1030x200



Finishing version:

kW

3,3

kg

20,4

0,5

60


250

0,52

painted steel

ORBIO/STAND

512x1088x200



Finishing version:

kW

3,3

kg

20,9

0,5

60


250

0,52

painted steel

PRISMO/STAND

491x1010x200



Finishing version:

kW

3,3

kg

19,9

0,5

60

250

0,52

painted steel



ACCESSORIES FOR BIOETHANOL FIREPLACES

BIO-DECO LIQUID



BIO-DECO liquid for use in bioethanol fireplaces – bioethanol with a concentration of 95%. A renewable fuel produced from plant biomass, such as corn, wheat, sugar cane, or sugar beets. The products of bioethanol combustion are water vapor and carbon dioxide in amounts similar to the air exhaled by a human. **It does not emit odor or smoke. 1 liter of biofuel burns from 2 to 5 hours – depending on the size of the flame.**



Bio Deco



Bio Deco
Coffee



Bio Deco
Grapefruit



Bio Deco
Mulled Wine



Bio Deco
Romantic



Bio Deco
Sweet Fruits

AROMATHERAPY OILS

Aromatherapy oils are a natural alternative to chemical air fresheners. The set consists of an aromatherapy container and the oil. After pouring the oil into the container and placing it on the bioethanol fireplace, the scent is gradually released into the surroundings under the influence of heat. **Aromatherapy brings a number of benefits, including refreshing the air in the room, strengthening concentration, and showing medicinal effects.**



DECORATIVE ELEMENTS FOR BIOETHANOL FIREPLACES

These serve as an excellent decoration for a bioethanol fireplace and give it an individual character. Realistic ceramic logs faithfully imitate various types of wood, emphasizing the natural look of the fire. **Decorative stones and stone bark create an elegant setting for the flame.** Their structure and colors harmonize perfectly with the fire, enhancing the visual effect.



GLOW FLAME



GLOW FLAME provides unforgettable visual effects and is an impressive addition to the hearth.

Even a small amount of the product is enough to give the bioethanol fireplace a more attractive appearance. Placed directly in the flame, GLOW FLAME glows intensely, enhancing the aesthetic experience and catching the eye.

KRATKI LIGHTER

Designed for repeated gas refilling. The outer surface is finished with an elegant matte coating. The lighter combines a classic shape with modern design, making it a practical item for everyday use. **It is adapted for safe ignition of fire in a BIOETHANOL FIREPLACE or fireplace.**



BIO-CONTAINERS

See how to
convert your fireplace or stove
into bioethanol fireplace





Safe bio-containers with an absorbent insert, which ensures fuel economy and eliminates the risk of fuel spillage, even in the event of an accidental overturn. Beyond their use in bioethanol fireplaces, our bio-containers are also perfect for individually designed structures where the only limit is your imagination. By using them in your own projects, you can create your dream bioethanol fireplace in a custom-made housing. Their versatility of use and impressive vision of fire allow for the creation of a one-of-a-kind, unique bioethanol fireplace.

With our bio-containers, your product range becomes future-proof against local restrictions - **now you can seamlessly insteell and use our stoves even in regions with total wood-burning bans**. This breakthrough solution opens up previously inaccessible markets, guaranteeing your customers a legal and eco-friendly flame all year round.

BIOPOJEMNIK/S

195x102x125



2,47




1 l



steel





4,06



2 l





steel



AF/T/TUV

110x63x110



1




0,20 l



steel

AF/P/TUV/V2

300x46,5x100





2,6



0,75 l



steel





1,29



0,20 l



steel






4,46



0,75 l



steel



7,5



1,40 l



steel

AF/SPARK/700



AF/SPARK/700

644x123x200



12







1.50 l



steel

AF/FLAT/TUV

510x46x54



2



0,40 l



steel



Marek Bal

ul. Gombrowicza 4, Wsola, 26-660 Jedlińsk, Poland
www.kratki.com

www.facebook.com/kratkipl
www.youtube.com/kratkipl
www.instagram.com/kratkipl

